# FELINE DM ST/Ox DIABETES MANAGEMENT™

## Complete dietetic pet food for adult cats for the regulation of glucose supply (Diabetes mellitus) with low level of total sugars (mono- and disaccharides).



86

# FELINE DM ST/OX DIABETES MANAGEMENT™

## COMPOSITION (DRY)

Dried poultry protein, corn protein meal<sup>#</sup>, soya protein powder, corn starch<sup>#</sup>, pork fat, soya meal<sup>#</sup>, digest, minerals, dried yeast, fish oil.

# Carbohydrate sources.

#### COMPOSITION (CAN)

Pork heart, liver and kidney, poultry heart and liver, trout, salmon meal, cellulose, minerals, corn starch.

#### **COMPOSITION (POUCHES)**

#### With chicken:

Pork liver & kidney, trout, salmon and salmon meal, chicken (4%), greaves, plasma powder, cellulose powder, pork gelatine powder, corn starch.

### With beef:

Pork liver & kidney, salmon and salmon meal, trout, beef (liver) (4%), chicken, greaves, plasma powder, cellulose powder, pork gelatine powder, corn starch.

Carbohydrate sources: Corn starch.

\* Typical analysis in the final product as fed. \*\* Average of the two varieties.

<sup>1</sup>Calculated following NRC 2006 equations.

KEY NUTRIENT VALUES							
	Dry	Wet	Pouches**				
Moisture	6.5%	77.5%	77.7%				
Protein - Arginine	50.0% 2.9%	13.8% 0.8%	13.0% 0.7%				
Fat - Omega-6 fatty acids - Omega-3 fatty acids	17.0% 2.0% 0.47%	4.9% 0.7% 0.19%	4.5% 0.37% 0.27%				
<b>Carbohydrate</b> - Starch - Total sugars	19% 12.5% 0.8%	1.0% 0.4% <0.5%	1.8% 0.8% <0.5%				
Crude fibre	1.5%	0.6%	0.6%				
Crude ash	8.0%	2.2%	2.4%				
Vitamin E	560 IU/kg	106 IU/kg	162 IU/kg				
Metabolisable energy (ME)1	419 kcal/100g	102 kcal/100g	98 kcal/100g				

# FEEDING GUIDELINES

It is important to closely monitor the cat's blood glucose levels during the first weeks of feeding PURINA® PRO PLAN® VETERINARY DIETS DM ST/Ox Diabetes Management™ in order to adjust the insulin dosage. The recommended period of use is initially up to 6 months but Feline DM ST/Ox Diabetes Management<sup>™</sup> can be fed for life if necessary. Feline DM ST/Ox Diabetes Management<sup>™</sup> can also be used for weight loss and its formulation may increase satiety. Weight loss feeding guidelines are based on the cat's current weight, and should be adjusted every 2-4 weeks during the weight loss programme.

#### ADULT MAINTENANCE Daily feeding quantity Body weight Dry + can combined Dry + pouch combined Wet only Wet only Dry only (kg)(pouch/day) (g/day) (can/day) Dry (g/day) Can/dav Dry (g/day) Pouch/day 30 1/2 15 20 30 40 3/4 2 15 1/2 55 2 ²/3 30 1/2 35 4 1 70 31/3 20 50 6 80 Δ 35 60 05 2 4 3/4 50 75 8 105 21/ 51/x 60 85

For weight maintenance, for cats over 8kg, add ½ pouch per day, ¼ can or 12g dry PPVD DM™ ST/Ox per each additional kg of body weight.

ADULT WEIGHT LOSS									
Body	Daily feeding quantity								
weight (kg)	Dry only Wet only (g/day) (can/day)		Wet only	Dry + can combined		Dry + pouch combined			
		(pouch/day)	Dry (g/day)	Can/day	Dry (g/day)	Pouch/day			
2	25	1/2	1¼	10	1/4	15	1/2		
3	35	3/4	1¾	10	1/2	15	1		
4	50	1	2 1/3	25	1/2	30	1		
5	60	1¼	3	10	1	40	1		
6	70	1½	<b>3</b> <sup>2</sup> / <sub>3</sub>	25	1	50	1		
7	85	1¾	4 1⁄4	35	1	65	1		
8	100	2	4 3/4	45	1	75	1		

OVERVIEW

RELAATED PRODU RINARY

VETERINARY DIETS & RELATED PRODUCTS Ē

For weight loss, for cats over 8kg, add ⅓ pouch per day. ⅓ can or 10g dry PPVD DM<sup>™</sup> ST/Ox per each additional kg of body weight.

## CLINICAL ADVANTAGES WITH THE USE OF FELINE DM ST/OX DIABETES MANAGEMENT™

PURINA® PRO PLAN® VETERINARY DIETS DM Sr/Ox Diabetes Management" is an ultra-low carbohydrate diet that has proven high efficacy in the nutritional support of cats with diabetes mellitus, with the ability to improve glucoregulation and induce remission of diabetes in a proportion of cats.

Since the feline metabolism is designed to derive most of their glucose needs

from protein rather than carbohydrates, and because restriction of dietary carbohydrates can help control blood glucose and insulin concentrations, a high protein, low carbohydrate diet can be used to effectively control many cases of feline diabetes<sup>1</sup>. Studies have shown that the very low carbohydrate, high protein and moderate fat content of Feline DM ST/Ox Diabetes Management<sup>™</sup> can lead to<sup>2</sup>:



Improved clinical control of diabetes mellitus.

> Significantly increased rates of diabetic remission (four-fold).

Significantly reduced exogenous insulin requirements.

Significantly better control of diabetes compared to the 'traditional' approach of a moderate carbohydrate diet combined with a high fibre content.

The use of Feline DM Sī/Ox Diabetes Management<sup>™</sup> in cats with stable long-term diabetes has been shown to reduce insulin requirements by more than 50% on average, with up to 30% of cats going into diabetic remission<sup>1</sup>.



20 units/dav Insulin level before DM st/0 15 Insulin level after DM st/ox dose, 10 nsulin 5 Cat A Cat B Cat C Cat D Cat E Cat F Cat G Cat H Cat I Insulin requirements decreased for 89% of cats completing this 12 week trial, from a mean of 4.8 U/day to 2.0 U/day. Three of the nine cats no longer required exagenous insulin at the end of the study.

# CONTROL OF OBESITY

Managing obesity and maintaining optimum body weight is a vital part in the nutritional management of feline diabetes<sup>2</sup>.

- Frank G, et al. (2001) Use of a high-protein diet in the management of feline diabetes mellitus. Vet Ther 2; 238-246. Additional literature: (2004) Veterinary Therapeutics 5; 43-51.
- Sparkes AH, et al. (2015) ISFM consensus guidelines on the practical management of diabetes mellitus in cats. J Feline Med Surg. 17: 235-50.

#### Other relevant literature

- Rand JS, et al. (2006) Diabetes mellitus in cats. Vet Clin Small Anim. 35: 211-224.
- Rand JS, et al. (2004) Canine and feline diabetes mellitus: Nature or nurture? Journal of Nutrition. 134; 2072S-2080S.
- Webb CB and Falkowski L. (2009) Oxidative stress and innate immunity in feline patients with diabetes mellitus: the role of nutrition. J Fel Med Surg. 11; 271-276.

