

# Understanding the Factors in Feline Hydration

## Is This Cat Drinking Enough?



**Andrew Sparkes, BVetMed, PhD, DECVM-CA, MANZCVS, MRCVS**  
Simply Feline Veterinary Consultancy and Co-Editor, Journal of Feline Medicine and Surgery

### Q Why is feline hydration important?

**A** In routine clinical situations, veterinarians need to become much more aware of the potential harm that can result from chronic dehydration in cats. When given appropriate access to food and water, a healthy cat can control his or her hydration state, whether fed a wet diet or a high-quality commercial dry diet. However, hydration issues often arise as cats age, especially if there is an underlying condition that affects water loss and/or food and water intake. This can affect the development and progression of health conditions and quality of life.

### Q Why are older cats prone to dehydration?

**A** The homeostatic mechanisms that help control hydration status simply don't work as well in older individuals. We know this is true in humans and we believe it is true in cats, too. Factors include:


- **Changes may occur in thirst function.** In older humans, the thirst drive is often blunted, leading to decreased fluid intake.<sup>1</sup>
- **Lean body mass (LBM) decreases.**<sup>2</sup> The total water content of LBM is higher than that of fat tissue. Loss of LBM, as is often seen with aging, thus reduces water reserves in cats, resulting in a lower total percentage of body water.
- **The ability to concentrate urine may decrease.**<sup>1</sup> In humans, this is recognised to reduce the ability to conserve water in the body.
- **Age-related issues arise.**<sup>3</sup> In cats, these include common conditions such as chronic renal insufficiency (CRI), hyperthyroidism and diabetes, which trigger an obligatory diuresis. The cat needs to continually replace what is lost in the urine but may be unable to do so. In the case of CRI, recurrent dehydration may even contribute to the development and progression of the condition. We need further studies to prove this link, but it's possible that recurring dehydration directly damages the kidneys.

Feline lower urinary tract disease (FLUTD), generally more common in middle-aged cats, falls into a slightly different category. Cats with FLUTD may not be dehydrated, but they can benefit from additional fluid intake to help them produce a more dilute urine.

### Q What strategies can help improve a cat's hydration status?

**A** Cats probably cannot rehydrate quickly because of the way they lap water. Both dogs and cats curl their tongues backwards, but while dogs form a sort of scoop, cats only touch the surface of the water and "bite" from the water column that is formed. This is less efficient and results in lower water intake. Cats also have a fixed frequency of lapping that cannot be increased to raise their rate of water intake.

Nevertheless, two strategies can help increase fluid intake in cats.



When given access to food and fresh water, most healthy cats stay hydrated; however, aging and health issues can affect the cat's ability to maintain homeostasis of body fluids.

One is to **feed a wet diet**, which typically contains 70% water or more. The second is to **give the cat a nutrient-enriched water** like Purina® PRO PLAN® Hydra Care™. Hydra Care is palatable, which encourages consumption, while osmolytes in the formula help drive water into cells. With this addition of a third bowl, together with their regular food and fresh water, cats have been shown to consume an average of 28% more liquid each day when compared to cats consuming only water in addition to dry feeding.\* Purina® PRO PLAN® Hydra Care™ was also shown to decrease urine specific gravity and osmolality.<sup>4,5</sup>

### Q What advice can veterinarians offer to clients to monitor hydration?

**A** I'm excited about the future possibility of using technology to provide noninvasive hydration monitoring, whether it's microchipping to monitor intake from a water bowl or a smart litter tray that tells the owner when their cat urinates or defecates as well as the volume and consistency of their faeces. This information may help guide a number of recommendations from the veterinarian.

Cat owners should be educated about the need to **provide fresh, clean water** and **monitor consumption and urine output**. Encouraging young cats to **eat different foods, flavours and textures** can help set the stage for a later point in life if they need to switch to a wet food or a veterinary prescribed diet. Finally, **owners should recognise that cats are individuals** and observe them to understand their drinking preferences.



1. Jequier E, Constant F. Water as an essential nutrient: the physiological basis of hydration. *European Journal of Clinical Nutrition* (2010) 64, 115–123 doi:10.1038/ejcn.2009.111.  
 2. Perez-Camargo G. Feline Decline in Key Physiological Reserves: Implications for Mortality. *Purina Companion Animal Nutrition Summit: Focus on Gerontology*. March 26–27, 2010.  
 3. Ray M, Carney HC, Boynton B, Quimby J, Robertson S, St Denis K, Tuzio H, Wright B. 2021 AAFP Feline Senior Care Guidelines. *Journal of Feline Medicine and Surgery* 23, 613–638.  
 4. Zanghi BM, Gerheart L, Gardner CL. Effects of a nutrient-enriched water on water intake and indices of hydration in healthy domestic cats fed a dry kibble diet. *Am J Vet Res*. (2018) 79:733–744.  
 5. Zanghi BM, Wils-Plotz E, DeGeer S, Gardner CL. Effects of a nutrient-enriched water with and without poultry flavoring on water intake, urine specific gravity, and urine output in healthy domestic cats fed a dry kibble diet. *Am J Vet Res*. (2018) 79:1150–1159.

\*Cats must consume at least 25ml/kg of body weight daily for benefit.

# Promote Feline Well-Being by Helping Clients Think Inside the (Litter) Box



**Miles Bensky, PhD**  
Pet Behaviourist  
Nestlé Purina PetCare

No one considers their cat's litter box the centerpiece of their home. However, the litter box can provide a treasure trove of information about a cat's physical and emotional health. Watching how cats use their litter boxes is key to helping owners optimise the well-being of their cats and identify issues early when they arise. You can help clients stay attuned to feline health and well-being by advising them on proper litter box management and maintenance.

## Know the cat's baseline behaviours.

What is normal litter box behaviour for one cat may not be for another, so it's important for clients to regularly observe their cat's habits over time to determine a baseline. Some cats "go" more often than others. Some like digging while others don't. Knowing what is typical for their cats makes it easier for owners to catch changes that might signal a health issue or help them identify triggers for changes in litter box compliance. Owners should also know to consult a veterinarian when they notice significant changes in litter box behavioural patterns.

## Look for subtle behaviour changes.

We often think of "litter box behaviour" as a cat either using the litter box or engaging in out-of-the-box elimination. The latter is a key reason cats are surrendered to shelters. But elimination behaviour isn't this black-and-white. More nuanced litter box behaviours could signal an issue even if a cat is using the box. These could include:

- Having difficulty getting into the box, which could signal mobility issues or a wrong-sized box.
- Spending an excessive amount of time perched along the edges of the box, which may mean the box is too small or that the cat doesn't like the litter texture.
- Engaging in prolonged scraping or banging. Our research indicates that cats are more likely to persist in performing specific behaviours within their typical elimination sequence (e.g., pawing at surfaces other than litter) when the litter environment is less than ideal.<sup>1</sup>
- Taking a long time to urinate. This could indicate the cat is holding its urine, which could have negative health effects.



Talking with clients about litter box habits can cue them to observe their cat's behaviour more closely and consult with their veterinarian about any changes.

## Clean the litter box regularly.

Frequent cleaning helps pet parents detect excessive or decreased urination, change in stool quality, or even blood. A clean litter box also increases comfort for the cat. Our research has shown that cats are turned off by obstructions in their box, so scooping regularly and giving them a clean area is important.<sup>2</sup> Clients should also have enough litter boxes—the number of cats in the home plus one, with boxes on each level of multilevel homes.

## Choose a good location.

Because many owners don't want litter boxes taking up a big chunk of their living space, they may use boxes that are too small that are placed in rooms that are less accessible (e.g., closets, basements) and/or noisy (laundry rooms) where cats may be easily startled. A covered litter box can help prevent litter tracking, but some cats may not want to be in such a constrained space. Encourage owners to do their best to place the litter box in as quiet a place as possible while keeping accessibility from a cat's perspective in mind.

Veterinarians should routinely ask clients about their cats' litter box behaviours. Even if clients don't know now, the question can help guide them to be more alert to potential health issues, and proactive about finding solutions.




## You've led this patient to water. Will they drink?

What factors affect water intake in pets? How should practitioners assess their patients' hydration status? What practical strategies can reverse dehydration? Veterinarians who want to dig deeper into hydration management should check out the Purina Institute's comprehensive monograph on this topic. Visit [purinainstitute.com/hydration](https://purinainstitute.com/hydration) or scan the QR code to find answers to these questions and more.



SCAN ME



1. McGowan RTS, Ellis JJ, Bensky MK, et al. The ins and outs of the litter box: A detailed ethogram of cat elimination behavior in two contrasting environments. *Applied Animal Behaviour Science*;194(2017)67-78.

2. Ellis JJ, McGowan RTS, Martin F. Does previous use affect litter box appeal in multi-cat households? *Behavioural Processes*;141(2017)284-290.

# Feline Hydration Strategies Take Multipronged Approach



**Jennifer Williams, DVM**  
 Medical Director,  
 Grace Animal Hospital  
 Lexington, South Carolina

If you see cats with feline lower urinary tract disease (FLUTD), you know that many of these cats, such as those with feline idiopathic cystitis (FIC), may benefit from an increase in hydration to promote a more dilute urine and a more favourable urinary environment. The good news is, there are a number of tools available to help these cats increase their liquid intake.

Here's my approach to screening these patients and working with their owners to ensure their cats are adequately hydrated.

## Check hydration status during the physical examination.

I look for skin tenting and sunken eyes and examine the cat's mucous membranes to determine if the cat is severely dehydrated. During the examination, I also ask clients about changes in the size of the cat's litter clumps. If they are drinking more water, are they also increasing their outputs in the litter box or is urine output decreasing? Weight loss also increases my concern about hydration as does diabetes or another polyuric/polydipsic process because these cats may not be able to drink the amount of water they require.



A thorough physical examination, including of mucous membranes, can help veterinarians spot hydration issues and potential problems in feline patients.

## Initiate the hydration conversation.

During the exam, I ask clients how their cats prefer to drink water. Is it out of a tall glass on the nightstand, from a dripping faucet, from the bottom of the bathtub—or just their water bowl? This information helps me transition to discussing the importance of hydration and the role it plays in the progression and management of health issues.

## Recommend strategies to increase drinking.

### 1. Expand the cat's drinking options.

Once I've determined the cat's preference, I explain how owners can provide multiple points of access to water. For example, if the cat likes to drink out of tall glasses, I tell the owner to place additional water glasses in low-traffic, quiet areas of the house. If the cat prefers dripping faucets, the owner can add a cat water fountain as an option.

### 2. Provide Nutritional Support.

If there is an ongoing health issue and the cat isn't already on a urinary diet, I recommend Purina® Pro Plan® Veterinary Diets Feline UR St/Ox® Urinary™. All formulas are specially formulated to promote a urinary environment unfavourable to the development of both struvite uroliths and calcium oxalate uroliths. With different flavours and textures (which contain more than 75% moisture to contribute to total water intake) plus the dry option, I've found that most cats readily accept Feline UR St/Ox Urinary™.

### 3. Include another hydration source.

For cats that may benefit from additional water intake, such as those with FIC or chronic renal insufficiency, I recommend Purina® PRO PLAN® Hydra Care™ along with a specialised diet to provide another hydration source. With Hydra Care™, cats consume on average 28% more liquid each day.\* Hydra Care™ has also been shown to decrease urine specific gravity and osmolality\* and helps support healthy hydration. Clients appreciate having another tool to try and, if that tool works for their cat, it feels even better.

## Build hydration habits early in life.

Of course, it's optimal for a cat to be adequately hydrated throughout life to help support urinary health, and there are ways to help achieve this. For example, I recommend that kittens and younger cats be offered wet food at least once a week as part of their regular diet so that they can derive the benefits of extra moisture and get used to eating it. Then, when they may need critical care later in life, it's easier for them to accept a canned option.

Work with clients early on to help them establish good hydration behaviours in their cats and make the hydration conversation part of every feline well-pet exam.

## Key Takeaways

- Hydration issues often arise as cats age, especially if there is an underlying health issue process.
- Knowing how their cats behave in and around the litter box can provide owners with valuable information about the physical and emotional health of their pet.
- Clients appreciate having tools including dietary management and that can help their cats with FLUTD drink more water and achieve a more dilute urine.



\*Compared to cats consuming only water in addition to dry feeding. Cats must consume at least 25ml/kg of body weight daily for benefit.


Choose advanced  
nutrition for renal  
and urinary care

 **PURINA**  
**PRO PLAN**

GASTROINTESTINAL

*Nutrition*

FOR LIFELONG CARE



 **PURINA**

Your Pet, Our Passion.®